


Panel Repairing Line R7

UNCOMPROMISED REPAIRING CAPACITY



Panel Repairing Line R7 - Uncompromised repairing capacity for most demanding needs

Raute Panel Repairing Line R7 is the uncompromised panel repairing solution for the most demanding needs. This line has a superior capacity and it can handle trimmed or untrimmed panels. Capacity is achieved through the combination of technology and the most modern analyzers on the market.

Repair technology allows the panel flow to be continuous, even 24/7, and the panels are repaired on the move. Multiple repair heads enable the usage of different repair materials and repair tools even on the same panel.

65% repair material saving is achieved by analyzing each panel surface carefully. Each panel is scanned and the repair of the defects found is optimized so that no over or underfilling takes place.

Panel Repairing Line R7 is automatically controlled and monitored all the time and your production data is available in the industry's leading data capturing tool, MILLSIGHTS.

Key benefits




HIGH CAPACITY IS ACHIEVED BY REPAIRING THE PANELS IN THE UNIFORM REPAIRING AREA



USES 65% LESS REPAIRING MATERIALS THAN TRADITIONAL REPAIRING METHODS



ONE OPERATOR NEEDED TO CONTROL THE MACHINE WHICH SAVES TIME AND COSTS



EFFICIENCY ACHIEVED IN TURNING AROUND PANELS SO BOTH SIDES ARE FIXED



References





Improving panel quality with Raute's Panel Repairing Line R7

PotlatchDeltic is looking forward to achieving its business goals by adopting an automated, data-driven panel repair solution.




[Read more](#)

Images and videos






Downloadable material



[Download PDF](#)



[Download PDF](#)

Technical specifications

Operators on the Line	1
Minimum Floor space needed (m)	10x30
Panel Thicknesses (mm)	5-40
Panel Sizes Variation (ft)	4x4, 4x8, 8x13
Repairing Methods	Router, Polyurethane, Putty
Capacity up to (panels/min)	16