




Dryer Infeed Feeder R5

**SIMPLE CONSTRUCTION AND EASY  
TO MAINTAIN**



## Dryer Infeed Feeder R5 – Guaranteed performance

As a part of Raute's proven R5-Series veneer drying technology, Raute Dryer Infeed Feeder R5 is made of simple construction, making it also easy to maintain.

Dryer Infeed Feeder R5 has a medium feeding capacity up to 20 feeds/min and it requires only one operator. This infeed feeder is equipped with adjustable overlapping possibility and HMI with versatile adjustments.

Raute dryer infeed feeder solutions are available for new or existing Raute drying lines as modernizations and for other manufacturers' drying lines.



## Technical specifications

	R5-5ft	R5-8ft
Veneer thickness (mm)	1,1 - 4,3	1,1 - 4,3
Operators on the Line	1	1
Feeding speed (feeds/min) max	20	17
Infeed roller drive	●	●
Veneer feeder type	Pneumatic	Pneumatic
Dryer width (mm)	6200,4800,3900	6200,4800,3900
Number of dryer decks	1-4	1-4
Adjustable suction power	●	●
Filtering station	●	●

# Dryer infeed feeders

## Dryer infeed feeders – efficient infeed maximizes the drying capacity

Dryer infeed has a role to play in securing a successful drying process. Doing dryer infeed automatically instead of manually increases not only capacity but minimizes the need for labor.

Adjustable feeder speed ensures the veneers are fed with the correct phase for maximal filling ratio and capacity. Infeed rollers align the veneer sheets for the dryer to ensure even drying quality.

When also random sheets can be utilized, better recovery is achieved for the whole production. Feeding random veneers into the dryer is more challenging than feeding full sheets. Usually, random veneers are fed into the dryer from separate stacks. With the random veneer feeder, veneer stacks can contain both full sheets and random sheets, and stacks can still be fed to the dryer automatically.

To maximize the dryer capacity, it is also possible to feed overlapping sheets to improve the dryer filling ratio. As veneer sheets dry fastest from the ends, with overlapping it is also possible to limit the ends from drying too fast and cracking. Thus, with overlapping, we can also improve the veneer quality.

All Raute Dryer Infeed Feeders are equipped with versatile adjustments and adjustable over-lapping possibility and user interface (HMI). In addition, our R7-Series dryer infeed has an option for random veneer feeding and a solution for a thin veneer. Raute dryer infeed feeders come in all series (R3, R5, R7).

Raute dryer infeed solutions are available for new or existing Raute drying lines as modernizations and also for other manufacturers' drying lines.



[raute.com](http://raute.com)

Making Wood Matter